







Tape width 16 and 24 mm



PULL OUT DIRECTION



Tape width 32 and 56 mm



PULL OUT DIRECTION

NOTE:

- 1.10 Sprocket hole pitch cumulative tolerance  $\pm 0.20$ .
- 2.Carrier camber is within 1mm in 100mm.
- 3.Material: black conductive polystyrene alloy.
- 4.Material Thickness:  $0.3 \pm 0.05$ mm.
- 5.All dimensions meet EIA-481-B requirements.
- 6.5000pcs Pef Reel.
- 7.For tape width(dim W)16 and 24mm pilot holes are provided on one sides.  
For tape width(dim W)32, 44 and 56mm pilot holes are provided on both sides.




| PIN NO.     | W  | C    | PCS /REEL | REEL/CARTON | SUM(PCS) |
|-------------|----|------|-----------|-------------|----------|
| 10PIN-14PIN | 16 | —    | 1000      | 12          | 12000    |
| 16PIN-32PIN | 24 | —    | 1000      | 10          | 10000    |
| 34PIN-44PIN | 32 | 28.4 | 1000      | 8           | 8000     |
| 46PIN-50PIN | 44 | 40.4 | 1000      | 6           | 6000     |

山谷道 深圳市山谷道电子有限公司


|                                                                                                         |                                 |                                       |
|---------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------|
| 一般公差<br>GENERAL TOLERANCE<br>.X $\pm 0.10$<br>.XX $\pm 0.05$<br>.XXX $\pm 0.02$<br>ANGLES $\pm 1^\circ$ | 制图 (DR):<br>Kavin<br>2016.07.12 | 品名(TITLE): 侧插0.8板对板公座包装               |
| 版本 (REV)<br>A                                                                                           | 审核 (CHKD):                      | 料号 (PART NO): JD-SGD-CC-BM-08-**P-H35 |
| 比例 (SCALE)<br>1:1                                                                                       | 单位 (UNITS)<br>mm                | 张数 (SHEET)<br>1 OF 1                  |
| 核准 (APPD):                                                                                              |                                 | 图幅 (SIZE)<br>A4                       |

Tape width 16 and 24 mm



PULL OUT DIRECTION



Tape width 32 and 56 mm



PULL OUT DIRECTION

NOTE:

- 1.10 Sprocket hole pitch cumulative tolerance  $\pm 0.20$ .
- 2.Carrier camber is within 1mm in 100mm.
- 3.Material: black conductive polystyrene alloy.
- 4.Material Thickness:  $0.3 \pm 0.05$ mm.
- 5.All dimensions meet EIA-481-B requirements.
- 6.5000pcs Pef Reel.
- 7.For tape width(dim W)16 and 24mm pilot holes are provided on one sides.  
For tape width(dim W)32, 44 and 56mm pilot holes are provided on both sides.



| PIN NO.     | W  | C    | PCS /REEL | REEL/CARTON | SUM(PCS) |
|-------------|----|------|-----------|-------------|----------|
| 10PIN-14PIN | 16 | —    | 1000      | 12          | 12000    |
| 16PIN-32PIN | 24 | —    | 1000      | 10          | 10000    |
| 34PIN-44PIN | 32 | 28.4 | 1000      | 8           | 8000     |
| 46PIN-50PIN | 44 | 40.4 | 1000      | 6           | 6000     |

山谷道 深圳市山谷道电子有限公司

|                                                                                                         |                                 |                                       |
|---------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------|
| 一般公差<br>GENERAL TOLERANCE<br>.X $\pm 0.10$<br>.XX $\pm 0.05$<br>.XXX $\pm 0.02$<br>ANGLES $\pm 1^\circ$ | 制图 (DR):<br>Kavin<br>2016.07.12 | 品名(TITLE): 侧插0.8板对板母座包装               |
| 版本 (REV)<br>A                                                                                           | 审核 (CHKD):                      | 料号 (PART NO): JD-SGD-CC-BF-08-**P-H51 |
| 比例 (SCALE)<br>1:1                                                                                       | 单位 (UNITS)<br>mm                | 张数 (SHEET)<br>1 OF 1                  |
| 核准 (APPD):                                                                                              |                                 | 图幅 (SIZE)<br>A4                       |